

LED COB TRACK LIGHT FOR MUSEUM



*Signature
Designed by WIP*




0/1-10 Dim, DALI System Controller

Specification

Input Voltage	220-240Vac50/60Hz.	Lens Material	PMMA	Housing	Aluminium
Input Voltage range	120-277Vac50/60Hz.	Beam Angle	~15° spot beam ~26° spot beam ~36° wide beam ~60° widebeam	Finishing	Black and white Powder Coated
Power Factor	>0.90	LED Light Source	Luminus, Citizen	Mount	Rail Hanging
THDi	<10%	CRI	>90	Rail	4 Wires Track Rail (Dimmable & Tunable)
Work Temperature	-10°C to + 65°C	CCT	2400K, 2700K, 3000K, 3500K, 4000K, 5000K, 6500K, 7800K, Tunable Warm, Tunable White	Warranty	1 Year
Driver	Constant Current LED Driver	LED Life Time	50,000 hrs.		
Unified Glare	No glare				
Flicker	Flicker free				

Model		Power (W)	Luminous Flux (lm)	Efficiency (lm/W)	Weight (Kg.)	Dimension (mm.)
Non-Dim	Dimmable					
WSL-20	WRL-20	20	2,300	115	1.10	Ø75x235x155
WSL-30	WRL-30	30	3,450	115	1.10	Ø75x235x155

Dimension (in mm.)



4W

Model	Dimension (mm.)		
	(W)	(L)	(H)
WSL	Ø75	170	155
WRL	Ø75	235	155



LUMINUS




Products of Thailand


LED COB TRACK LIGHT FOR MUSEUM

Beam Angle


Beam Angle




~15° spot beam



~26° spot beam




~36° wide beam



~60° wide beam

Wiring Diagram



Dimmable & Tunable
4 Wires Track



LED COB TRACK LIGHT FOR MUSEUM

Accessories



4 Wires Track (Surface Mounted / Suspension)

(Single Circuit / 1-Phase) Aluminum Track Rail & Accessories

	Name: 4 Wires Track Light Rail	
	Model NO: T042	
	Shell Material: 2.5mm Aluminum	
	Conductor: 3.5*1mm Red Copper	
	Flame Retardant Grade: V1	
	Accessories: Feeder & End cap & Mounting Hardware be included	
	Package Size: 104*20*10cm(1m)	
	Qty: 10pcs/ctn	
	GW: 11kg/ctn (1m)	

	Name: Straight Connector		Name: Flexible Connector
	Model NO: T042-I		Model NO: T042-R
	Finish Color: Black /White		Finish Color: Black /White
	GW.: 0.04KG/PCS		GW.: 0.27KG/PCS
	Name: L Connector		Name: Hang Rope
	Model NO: T042-L		Model NO: T042-HR
	Finish Color: Black /White		Finish Color: Black /White
	GW.: 0.18KG/PCS		Length: 1m (Customize L) GW.: 0.18KG/PCS
	Name: T Connector		Name: Track Adapter Box
	Model NO: T042-T		Model NO: THB418
	Finish Color: Black /White		Finish Color: Black /White
	GW.: 0.27KG/PCS		GW.: 0.1KG/PCS
	Name: X Connector		Name: 4 wires Track
	Model NO: T042-X		Model NO: TH409
	Finish Color: Black /White		Finish Color: Black /White
	GW.: 0.31KG/PCS		GW.: 0.04KG/PCS


LED COB TRACK LIGHT FOR MUSEUM



Option Dimmable / Tunable Control

DALI DIMMABLE / TUNABLE CONTROL SYSTEM

Wiring Diagram



Super LED Dimming Module 2.0
(DALI master controller)
Model : CG-D




LED COB TRACK LIGHT FOR MUSEUM



Option Dimmable Control

0/1 - 10 DIMMABLE CONTROL



0-10V Dimmer
Model : E610P

